

10/696,933 07/07/2010 /AL/

Web Images Videos Maps News Shopping Gmail more ▾

Sign in

Google scholar

interface indicative search database "new lab

Search

Advanced Scholar Search  
Scholar Preferences

Scholar



Articles and patents ▾

- 2003

include citations ▾

Results 1 - 50 of

Did you mean: interface indicative search **database** "new label"

Label system-translation of text and multi-language support at runtime and design

R Bitsch, JS Hansen - US Patent App. 10/674,834, 2003 - Google Patents

... 4 LABEL DIALOG ^402 LABEL DIALOG LOGIC 403 404 EXTENDED LANGUAGE **INTERFACE**  
LABEL CLASS 409.W DATA Page 7. Patent Application Publication Mar. ... 5 ENTER DATA FOR  
**NEW LABEL** 504 **SEARCH LABEL DATABASE** 505 RETURN RESULTS OF ...

Adaptive fault identification system

HE Dow, R Li, TW Potter - US Patent 5,351,247, 1994 - Google Patents

... 1 14- TEST 20 TEST BED CONTROL 16 24, OPERATOR TERMINAL 13 TERMINAL **INTERFACE**  
OUT -12 21 DATA COLLECTION DEVICE **INTERFACE** 22 CONTROL COMPUTER TERMINAL  
1 **INTERFACE** PRODUCTION **DATABASE** 27 7 21A MEM 18- **SEARCH TOOL** 19 ...

Cited by 11 - Related articles

Scale for weighing and determining a price of an item

DS Miller, JH Crew, CC Dickey, LA Pevoar, ... - US Patent App. 10/ ..., 2002 - Google Patents

... **indicative** signal. A scale controller receives the weight **indicative** signal and  
determines the price for the item based upon the weight **indicative** signal. A remote  
**interface** link includes associated communication software. A web ...

Related articles - All 2 versions

Automated tape cartridge library with accelerated calibration

MD Gray, ... - US Patent 5,819,309, 1998 - Google Patents

... US CI 711/111; 360/134; 369/30; 369/178 [58] Field of **Search** 395/438 ... speed improvements may  
be provided by also storing in memory a numerical value **indicative** of the ... communicate the  
appropriate parameters back to the tape drive, again over the existing SCSI **interface**. ...

Cited by 9 - Related articles

[PDF] Exploiting coauthorship to infer topicality in a digital library of computer science technical reports

JC French, CL Villes - 1996 - Citeseer

... User queries are processed at all sites by means of a distributed **search**. ... Our approach uses the  
**indicative** words present in titles together with a novel use of coauthorship to ... with Persistent  
Naming for Objects e FJ:GA;PJ An Introduction to the ADAMS **Interface** Language: Part I f ...

Cited by 4 - Related articles - View as HTML - All 6 versions

High-throughput, low-latency next generation internet networks using optical label switching and  
high-speed optical header generation, detection and reinserction

GK Chang, WI Way - US Patent App. 09/755,276, 2001 - Google Patents

... Tag switches and tag edge routers receive the Tag Distribution Protocol information and build  
a forwarding **database**. The **database** maps particular destinations to the tags associated with  
those destinations and the ports through which they are reachable. ...

Cited by 15 - Related articles - All 4 versions

Method and apparatus for providing information concerning products, using radio frequency

## transmissions

TE Krueger, KL Astrof - US Patent 5,697,061, 1997 - Google Patents

... CL6 G06F 15/62 US CI 455/39; 340/825; 235/383 Field of **Search** 345/2 ... radio 55 frequency signal containing information concerning a prod- uct and an address **indicative** of the ... whether a CRC check has indi- \*\*\*<& the use of conventional human/computer **interface** cated that ...

Cited by 3 - Related articles - All 3 versions

## [PDF] QoS oriented measurement in IP networks

V Smoljacha - 2001 - Citeseer

... Section 3 describes Service Level Specification as an **interface** Page 2. ... Rather, the label is used as an index into a table which specifies the next hop and a **new label**. The old label is replaced with the **new label**, and the packet is forwarded to its next hop. ...

Cited by 13 - Related articles - View as HTML - All 8 versions

## A spatial modelling system to process, analyse and interpret multi-class thematic maps derived satellite sensor images

S Barr, M Barnsley - innovations in GIS two, 1995 - books.google.com

... Several algorithms have been developed that allow this information to be interrogated via a simple user-**interface**. ... (e) A set of techniques to **search** for and to analyse groups of objects meeting some ... broadly rectangular objects may be **indicative** of an area of arable farmland. ...

Cited by 7 - Related articles - All 2 versions

## Method for graphical classification of unstructured data

ET Ly - US Patent App. 10/138,706, 2002 - Google Patents

... rr **New Label** Nfone C Fed App. I State App. — • 'X Catagory Govt. ... However, such outlining and brainstorming software tend to have a single, inflexible **interface** that every user must adapt to, regardless of the individual needs of a user. ...

## Tape printers

D Block - US Patent App. 10/323,830, 2002 - Google Patents

... Conn. 06902 [0062] The second label, Label 2, would be: [0063] Esselte Nev., [0064] Sint-Niklaas, [0065] 9100, Belgium [0066] In summary, the data can be presented in a list, with each new line representing a **new label**. Within ...

All 2 versions

## Method for graphical collaboration with unstructured data

ET Ly - US Patent App. 10/170,992, 2002 - Google Patents

... Activity5 ^ y / Activiyo G / 'Catagories > 7 ,, ^1^ Activity? FIG. // **New Label** V^-'X Catagory Govt. ... However, such outlining and brainstorming software tend to have a single, inflexible **interface** that every user must adapt to, regardless of the individual needs of a user. ...

Related articles - All 2 versions

## Optical layer survivability and security system using optical label switching and high-speed optic header generation and detection

GK Chang, G Ellinas, R Graveman, C . . - US Patent 6,271,946, 2001 - Google Patents

... Cl.7 H04J 14/02 (52) US CI 359/124; 359/123; 359/128; 370/312; 370/392; 370/471 (58) Field of **Search** 359/123-125, 359/135, 128; 370/352, 392, 471, 355-356 (56) References Cited US PATENT DOCUMENTS 4,797,879 \* 1/1989 Habbab et al 359/123 4,831,616 \* 5/1989 ...

Cited by 13 - Related articles

## [PDF] Development of an E-commerce Site with Smartcard Payment Mechanism

CS Lacey - 2000 - cslacey.co.uk

... 6.2 Client-Side Java Applet .....35 6.2.1 **Interface** Methods .....35 ... Figure 6.3: Pages to **search** product **database** and view results .....34 ...

Related articles - View as HTML

### Apparatus and method for facilitating document generation

Y Haran - US Patent 6,072,461, 2000 - Google Patents

... G09G 5/34 [52] US CI 345/115; 345/157 [58] Field of Search 345/115 ... of gravity Source document attributes learning Object serial number definition Source document Image database Source document ... Mark pixel with a new label Mark pixel with the same label Add new object to ...

[Cited by 2](#) - [Related articles](#)

### Technique for locating electronic labels in an electronic price display system

P Waterhouse, J Stevens, G Leibman - US Patent 5,532,465, 1996 - Google Patents

... Cl.6 G06K 15/00; G06F 15/24 [52] US CI 235/383; 235/385 [58] Field of Search 235/383, 385, 235/441; 395/114; 340/825.35; 345/2, 3; 439/589, 590; 211/184 [56] References Cited US ... The rail interface is capable of causing the label to generate a signal indicative of the ...

[Cited by 14](#) - [Related articles](#) - All 4 versions

### Optical layer survivability and security system

GK Chang, G Ellinas, R Graveman, C ... - US Patent 6,233,075, 2001 - Google Patents

... Cl.7 H04J 14/02 (52) US CI 359/124; 359/123; 370/392; 370/471 (58) Field of Search 359/123-124, 359/135; 370/352, 355-356, 392, 471 (56) References Cited US PATENT DOCUMENTS 4,797,879 \* 1/1989 Habbab et al 359/123 4,831,616 \* 5/1989 Huber 359/137 ...

[Cited by 7](#) - [Related articles](#) - All 4 versions

### Customer specific packaging line having containers with tag means containing medication order information

NJ Sleep, AH Proudfoot, S Owen, AN Bargh, M ... - US Patent ..., 2001 - Google Patents

... Cl.7 G06F 7/00 (52) US CI 700/216; 53/500 (58) Field of Search 700/216, 240, 700/241; 53/500, 498, 493, 55 (56) References Cited US PATENT DOCUMENTS 5,208,762 5,504,332 5,522,512 5,533,606 5,660,305 5,671,592 5,713,485 5/1993 4/1996 6/1996 7/1996 8/1997 9 ...

[Cited by 3](#) - [Related articles](#)

### Optical layer survivability and security system using optical label switching and high-speed optical header reinsertion

GK Chang, G Ellinas, R Graveman, C ... - US Patent 6,160,651, 2000 - Google Patents

... Cl.7 H04J 14/02 [52] US CI 359/124; 359/123; 359/135; 370/352; 370/355; 370/356; 370/392; 370/471 [58] Field of Search 359/123-124, 359/135, 125; 370/352, 392, 471, 355-356 [56] ... 11 1120 1131- CLIENT INTERFACE OLS UIuti MMHFT 1-Rx 1-Tx II IP ROUTER \*1130 -1140 ...

[Cited by 20](#) - [Related articles](#)

### Customer specific packaging line

NJ Sleep, AH Proudfoot, S Owen, AN ... - US Patent App. 10/ ..., 2002 - Google Patents

... 100% inspection of the tablets and up to 100% inspection of the labels affixed to the containers, while enabling product changeover in the line in times that could be as short as 20 minutes, monitoring line operations and performance through a single interface, and using a ...

[Cited by 6](#) - [Related articles](#) - All 4 versions

### System and method for mail processing with verified sender identity

ME Konick - US Patent App. 10/319,228, 2002 - Google Patents

... for Remote Postage Metering discloses a method for obtaining a printable image indicative of postage ... 4 is a contamination exposure map describing the result of a V-STAMP database query. ... 5 is an embodiment of a web-page interface for initiating a contamination check on a ...

### Robust computer systems permitting autonomously switching between alternative/redundant components

AJ Simonoff, RL Taft, BT McLintock, LA ... - US Patent ..., 2000 - Google Patents

... Cl.7 G06F 15/16 US CI 709/227; 709/202; 709/203; 709/218 Field of Search 709/209, 202, 709/203, 208 References Cited US PATENT DOCUMENTS 5,386,568 1/1995 Wold et al

395/700 5,544,335 8/1996 Motomura 395/311 5,581,558 12/1996 Homey, II et al 370/401 ...

[Related articles](#) - [All 3 versions](#)

### User interface architecture for storage area network

DM Baldwin, AR Heitman, GJ Knight, RM Li ... - US Patent App. 09/ ... 2001 - Google Patents  
... 7,2003 (54) **USER INTERFACE ARCHITECTURE FOR STORAGE AREA NETWORK** (76)  
Inventors: Duane Mark Baldwin, Mantorville, MN (US); Allen Robert Heitman, Rochester, MN (US); Gregory John Knight, Brooklyn Park, MN (US); Raymond M. Li, Oakland, CA (US); David ...

[All 2 versions](#)

### [PDF] Usable medicines information

D Sless - Communication Research Institute of Australia p- ... 2001 - communication.org.au  
... 21 3 Literature **search** 29 ... 30 Table 2 percentage of people successfully completing tasks in response to questions, using an original label which conforms to current regulations, and a new label that was developed using professional information design skills. 34 ...

[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

### Method and system for vehicle operator assistance improvement

H Nishira, T Kawabe - US Patent App. 10/356,742, 2003 - Google Patents  
... **OEVICES** 16, 18, 20, 14, 22 f 94 **CREATE ENVIRONMENT MAP X(to), Y(to) INITIALIZE BEHAVIOR PREDICTOR AND INPUT I INPUT J(Ur,Uy) I CALL RECOMMENDATION 34 I s COMPUTE TRAJECTORY AND UPDATE I s TRANSFER UPDATED INTERFACE TRAJECTORY TO ...**

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] Network Working Group Loa Andersson Internet Draft Bay Networks Inc. Expiration Date: February 1999 Paul Doolan Ennovate Networks

N Feldman, A Fredette, B Thomas, LDP Specification - 1998 - zinfandel.levkowitz.com  
... **Per interface label space. Interface-specific incoming labels are used for interfaces that use interface resources for labels. An example of such an interface is a label-controlled ATM interface which uses VCLs as labels, or a frame Relay interface which uses DLCIs as labels. ...**

[Related articles](#) - [View as HTML](#) - [All 7 versions](#)

### Automated high-throughput seed sample processing system and method

JL Hunter, AS Nickerson, LJ Schroeder, ... - US Patent App. 09/ ... 2001 - Google Patents  
... 10,2002 Sheet 2 of 66 US 2002/0144458 A1: **Seed Handling** JZystem /Dry baggedT / ears in dryer \_A Wn Scan barcoded harvest tag/ 54- Display sample ID#R&P& decision 60' Shell ears & aspirate seed Accumulate seed **Database** with loc. ... **Database** with loc. ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

### Clinical tissue examination

MA Cundari, AI West, BD Noble, TW Roberts, ... - US Patent ... 2000 - Google Patents  
... **CI.7 A61B 5/05 [52] US CI 600/407; 600/587 [58] Field of Search** 600/407, 567, 600/561, 587 ... **IS THE FRAME A ZERO PRESSURE FRAME 9 INCREMENT ZERO PRESSURE FRAME COUNTER CURRENT EXAM SUSPICIOUS AREA TEMPORARY DATABASE CREATED IN ...**

[Cited by 6](#) - [Related articles](#) - [All 4 versions](#)

### [PDF] Dynamics of Practical Reasoning (Mechanisms and Proof Theory for Non-Monotonic and Conditional Logics)

DM Gabbay - 1999 - folli.loria.fr  
... Figure 1.1: case. An alternative time t1 there is agreement, and so part of the **database**  $\Delta t1$  at time t1 is the agreed scenario (t1,...,t4). ... 7 Here non-monotonic logic can **interface** with decision theory. We can use utility and decision theory considerations to decide on our actions. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

### [BOOK] Statistically-driven computer grammars of English: The IBM/Lancaster approach

EW Black, R Garside, GN Leech - 1993 - books.google.com

... The three years prior to this most recent effort saw much productive re- search on our part, we believe, but also, and perhaps more ... a number of participants had run through their parsers 100 sentences selected at random from a roughly one-million-word database of Wall Street ...

Cited by 109 - Related articles - All 2 versions

### [BOOK] Key Java: advanced tips and techniques

J Hunt, A McManus - 1998 - books.google.com

... It was quite a small language containing only 200 or so classes. It provided basic graphical user interface facilities, rudimentary event handling and no database access, but was a compact safe language. ... The JDBC database interface was provided. ...

Cited by 3 - Related articles - Library Search - All 2 versions

### [PDF] Department of Computer Science The University of Western Ontario London, Ontario, Ca April 6, 2000

N Vasiliou - 2000 - Citeseer

... A high average queue size is indicative of congestion and results in a high dropping probability.

The algorithm is based upon two thresholds: minth and maxth. Figure 6(a) illustrates the RED algorithm. The y-axis is the probability of dropping an arriving packet. ...

Related articles - View as HTML - All 6 versions

### Learning to talk engineering design: Results from an interpretive study in a Grade 4/5 classroom

WM Roth - International Journal of Technology and Design ..., 1996 - Springer

... science to students through its applied fields where science, technology, and society interface (Bingle & ... The transcripts entered a database which also contained field notes and artifacts. ... provided support to the bridge (3), Tammy interpreted Tim's utterance as the search for a ...

Cited by 9 - Related articles - BL Direct

### [PDF] Virtual Private Networks

R Hunt, C Rodgers - 2001 - Citeseer

... For example, Windows 2000 caters for end-to-end security providing facilities such as IPsec support. In addition, many Network Interface Card (NIC) manufacturers are currently producing hardware that offers on-board IPsec encryption under Windows. ...

Related articles - View as HTML - All 6 versions

### [PDF] LDP Specification Status of this Memo This document specifies an Internet standards track protocol for the Internet community, and requests discussion and ...

N Feldman, A Fredette, B Thomas - 2001 - Citeseer

... Per interface label space. Interface-specific incoming labels are used for interfaces that use interface resources for labels. An example of such an interface is a label-controlled ATM interface that uses VCIs as labels, or a Frame Relay interface that uses DLCIs as labels. ...

Related articles - View as HTML - All 170 versions

### [PDF] Network Working Group Loa Andersson Internet Draft Nortel Networks Inc. Expiration Dai February 2001 Paul Doolan Ennovate Networks

N Feldman, A Fredette, B Thomas, LDP Specification - 2000 - 64.170.98.42

... Per interface label space. Interface-specific incoming labels are used for interfaces that use interface resources for labels. An example of such an interface is a label-controlled ATM interface that uses VCIs as labels, or a Frame Relay interface that uses DLCIs as labels. ...

Related articles - View as HTML - All 5 versions

### Optical layer multicasting

GK Chang, AM Chowdhury, G Ellinas - US Patent App. 09/772,479, 2001 - Google Patents

... one of the network elements; (b) adding an optical header to the data payload and embedded in the same wavelength as the data payload prior to inputting the data payload to the input network

element, the header having a format and protocol and being **indicative** of the local ...

Cited by 1 - Related articles - All 2 versions

**[BOOK]** A many-valued approach to deduction and reasoning for artificial intelligence

CG DeBessonet - 1991 - books.google.com

... reasoning systems. A flexible, easy-to-use methodology is described that can be used creatively to address a wide range of representation problems and to build a system that may be queried about the contents of its **database**. The ...

Cited by 6 - Related articles - All 2 versions

Storage area network methods and apparatus with virtual SAN recognition

AR Heitman, DL Merbach, WR ... - US Patent App. 09/972,391, 2001 - Google Patents

Page 1. US 20030149763A1 (19) United States (12) Patent Application Publication  
(10) Pub. NO.: US 2003/0149763 A1 Heitman et al. (43) Pub. Date: Aug. 7, 2003 (54)

STORAGE AREA NETWORK METHODS AND APPARATUS ...

Cited by 2 - Related articles - All 2 versions

**[BOOK]** Analyzing law: new essays in legal theory

B Bix - 1996 - books.google.com

... Toronto Oxford is a registered trade mark of Oxford University Press in the UK and in certain other countries Published in the United States by Oxford University Press Inc., New York © Brian Bix 1998 The moral rights of the author have been asserted **Database** right Oxford ...

Cited by 6 - Related articles - Library Search - All 2 versions

**[PDF]** An Exploration AND Development OF Current Artificial Neural Network Theory AND Applications WITH Emphasis ON Artificial Life

DJ Cavuto - 1997 - CiteSeer

Page 1. THE COOPER UNION ALBERT NERKEN SCHOOL OF ENGINEERING A N E  
XPLORATION AND DEVELOPMENT OF CURRENT ARTIFICIAL NEURAL NETWORK  
THEORY AND APPLICATIONS WITH EMPHASIS ON ARTIFICIAL LIFE by David J. Cavuto ...

Cited by 1 - Related articles - View as HTML - All 76 versions

**[HTML]** How do helix \$x\_2013\$ helix interactions help determine the folds of membrane protein Perspectives from the study of homo-oligomeric helical bundles

WF DeGrado, H Grakowski, JD Lear - Protein Science: A Publication ..., 2003 - ukpmc.ac.uk

... In helices of transmembrane proteins, and are often found in the packing **interface** (Javadpour et al. ... An analysis of transmembrane domains in the SWISS-PROT **database** by Engelman and coworkers ... The resulting distribution shows a periodicity of ~3.5 residues, **indicative** of a left ...

Related articles

Methods and apparatus for launching device specific applications on storage area network components

F Ahmad, GT Axberg, Z He, RM Li, DL ... - US Patent App. 09/ ..., 2001 - Google Patents

... An **interface** process, eg, resident on a manager digital data processor, permits the operator/administrator to effect execution of at least a process residing on the manager and at least one process, such as a management application, residing on another SAN component. ...

Storage area network methods and apparatus for dynamically enabled storage device masking

BJ Camacho, CL Dickey, RD Drucker, DP ... - US Patent App. 09/ ..., 2001 - Google Patents

Page 1. US 20030154267A1 (19) United States (12) Patent Application Publication

(10) Pub. NO.: US 2003/0154267 A1 Camacho et al. (43) Pub. Date: Aug. 14, 2003

(54) STORAGE AREA NETWORK METHODS AND APPARATUS ...

Cited by 1 - Related articles - All 2 versions

Storage area network methods and apparatus for identifying fiber channel devices in kernel mc

RM Swank - US Patent App. 09/972,585, 2001 - Google Patents

Page 1. US 20030172239A1 (19) United States (12) Patent Application Publication  
(io- Pub. NO.: US 2003/0172239 AI Swank (43) Pub. Date: Sep. 11, 2003 (54)  
STORAGE AREA NETWORK METHODS AND APPARATUS ...

Cited by 2 - Related articles - All 2 versions

[BOOK] Child protection and mental health services: interprofessional responses to the needs of mothers

N Stanley - 2003 - books.google.com

... renders their experiences of loss and trauma particularly harsh: Women's relative lack of power in many situations in comparison with men, and the perceptions surrounding their lack of power makes it more likely that their behaviours may be viewed as **indicative** of mental ...

Cited by 21 - Related articles - All 6 versions

Storage area network methods and apparatus for validating data from multiple sources

AR Heitman, GJ Knight, DL Merbach - US Patent App. 09/972,396, 2001 - Google Patents

... 12a 16a 14a Manager — **Database** - Mew Admin 14b Page 2. Patent Application Publication  
Sep. 18, 2003 Sheet 1 of 48 US 2003/0177168 AI Fafr ic interconnect components Mew AJmin  
14b 14c Figure 1 Page 3. Patent Application Publication Sep. ...

Cited by 2 - Related articles - All 2 versions

Storage area network methods and apparatus for display and management of a hierarchical file system extension policy

DP Dunham, A Dunn, TL Duntion, JM ... - US Patent App. 09/ ..., 2001 - Google Patents

... A process, eg, executing on a manager digital data processor, includes a graphical user **interface** that displays the processor groups as a hierarchical tree. ... 31, 2003 Sheet 1 of 48 US 2003/0145041  
AI 0)1, APIs - Admin 8 Manager — **Database** 20 14b 14c Figure 1 Page 3. ...

Cited by 2 - Related articles - All 2 versions

Storage area network methods and apparatus for associating a logical identification with a physical identification

ML Lamb - US Patent App. 09/972,370, 2001 - Google Patents

... The improvement is further characterized by the selected process responding to an event generated by the plug-and-play by querying for information the storage device (or an **interface** thereto) with respect to which the event was generated. ...

Cited by 2 - Related articles - All 2 versions

Storage area network methods and apparatus for communication and interfacing with multiple platforms

DM Baldwin, Z He, AR Heitman, HH Lin, ... - US Patent App. 09/ ..., 2001 - Google Patents

... Those processes utilizes the command line **interface** of the host operating system to invoke platform-dependent processes on the respective hosts. The platform-dependent processes return data to the platform-independent ...

All 2 versions

 [Create email alert](#)

Did you mean to search for: **interface indicative search database "new label"**

interface indicative search dababase

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google